2.1 2.2 2.3 -3.1- 3.2

- ZinCo Concrete Kerb in bedding layer of stone chippings, poor in lime, (alternatively in mortar bedding)
- 2.2 ZinCo Stinless Steel Facing
- 2.3 Filter Sheet

- 3.1 Concrete or natural stone slabs, d ≥ 40 mm
- 3.2 Bedding layer of stone chippings, poor in lime, 30-50 mm

"Underground Garage" with Protectodrain® PD 250

Detail:

Edging between Greenery and Paving with ZinCo Concrete Kerb

System build-up

- 1.1 Lawn, perennials, with sufficient substrate depth also shrubs and small trees
- 1.2 System Substrate "Roof Garden" or System Substrate "Lawn", ≥ 200 mm, for total substrate depth exceeding 350 mm in project specific combination with mineral sub-substrate Zincolit® Plus
- 1.3 Filter Sheet TG
- 1.4 Protectodrain® PD 250
- 1.5 Slip Sheet TGF 20
- 1.6 Roof construction with root resistant waterproofing

Note:

The detailed solution shown here refers mainly to the ZinCo System Build-up. The roof construction itself as well as any other constructions are shown schematically and must be planned according to the relevant standards and quidelines.

Project:

-

 Version:
 Reviewed:
 Scale:
 Size:

 07.12.2018 Jgl / JGl
 none
 A 4

Abgr02 Int PD250 Fd en.dwg

Authorized by ZinCo GmbH, Lise-Meitner-Str. 2, 72622 Nuertingen/ Germany; Tel: ++49/7022-6003-0 info@zinco-greenroof.com; www.zinco-greenroof.com

ZinCo

Subject to technical alterations and printing errors.